Full Professor with fixed term contract (Straordinario), PhD

Massimiliano Renzi

Professor of Fluid Machines and Energy Systems

Free Univeristy of Bozen/Bolzano

Faculty of Engineering

e-mail: Massimiliano.Renzi@unibz.it

Office: B1 building, room 4.12

NOI Techpark - via Bruno Buozzi, 1, 39100 Bozen/Bolzano

Short Bio

Massimiliano Renzi is Full Professor with fixed term contract (Endowed Professorship, Professore Straordinario) for Fluid Machine and Energy systems at the Free University of Bozen/Bolzano; he is the director of the Bachelor Course in Industrial Mechanical Engineering and director of the research macroarea in Energy Resources and Energy Efficiency (ERE2). He is also member of the Competence Center of Sustainability.

He received his Master Degree in Mechanical Engineering magna cum laude in 2007 and his PhD in Energy in 2011 from the Polytechnic University of Marche. In 2009 he started his collaboration with a University spin-off, Strategie srl, working in the field of energy conversion and innovative energy systems. He is also shareholder of the company and owns two patents on the tracking device for solar concentration systems.

He is in charge of several research projects funded with competitive peer review processes and he manages research and didactic activities in the field of Fluid Machines and Energy Systems.

The main research topics include: use of alternative green fuels, like hydrogen, ammonia, biofuels and producer gas, and novel combustion strategies in the hard-to-abate industrial and civil sectors; hydraulic machines for small- and hidden hydropower and pumped hydro storage; thermal management of powertrains with specific focus on thermal engines and battery systems for clean powertrains; decarbonization of the power sector; novel optimization strategies and algorithms for sustainable energy planning of hybrid energy systems and energy storage solutions using MILP and AI algorithms. Contact and references

e-mail: Massimiliano.Renzi@unibz.it

Phone: +39 0471 017817

Scopus ID: 49962217600

ORCID: <u>https://orcid.org/0000-</u>0003-2768-3692

Keywords

Fluid Machines and Energy Systems Hydropower, Pump-as-Turbines Thermal management in automotive powertrains Clean powertrains for green mobility Biofuels and Hydrogen-enriched fuels Combustors with green fuels Internal Combustion Engines Micro Gas Turbines MILP and IA techniques for the optimization of Energy Systems and Energy storage


Main Research Activities and Labs

HYDROPOWER – This research line aims at the development of novel solutions for energy recovery solutions with hydraulic machines in civil and industrial plants, as well as the study of mini and micro hydroelectric plants. Innovative design solutions are studied to adopt low-cost machines and to widen their operating range in energy recovery solutions and mini hydropower.


The labs are equipped with test benches for the analysis of the performance of hydraulic machines and the definition of hill diagrams of test scale machines. Also a detailed analysis of the fluid-dynamic behaviour of these machines is possible thanks to the use of optical, non-intrusive measurement techniques. Novel methodologies, also based on artificial neural networks, have been developed to forecast the performance of the machines and to provide an accurate design tool and to describe machine performance in design and in off-design working conditions. Fluid dynamics simulations with CFD software are also performed to predict the performance and optimize the design.

COGENERATION – Different cogeneration devices are studied with a specific focus on the use of alternative fuels and the application of innovative power cycles. One of the investigated technologies are the internal combustion engines run with biofuels and with novel combustion solutions (dual-fuel feed with producer gas from biomass gasification). The performance and the emissions of engines can be assessed with specific test benches, specifically studied for different applications, like cogeneration and engines for agricultural applications. The labs are also equipped with a test bench for micro gas turbines to assess their cogeneration performance and emissions when fuelled with traditional and alternative fuels. A specific focus is also dedicated to the analysis of hydrogen-enriched fuels. Also CFD simulations are developed to study the combustion process with biofuels and hydrogenated fuels.

ELECTRIC AND HYBRID POWERTRAINS – This research topic aims at studying the energy flows in hybrid and electric powertrains with the primary objective of reducing the environmental impact and increasing the performance of the powertrain. One of the research projects aims at optimizing the design of lithium-ion battery modules in order to improve the thermal homogeneity and, as a consequence, the battery life and performance. A detailed model of the electric and thermal characteristic of the cell and of the module has been developed to forecast the behaviour of the battery and to design the required cooling system. Both experimental tests and CFD simulations have been carried out. The battery pack is then modelled and embedded within the whole



PaTs test bench



LDA on a Pelton water jet



Micro gas turbine test bench




Cogeneration engine test bench (dual fuel combustion)


thermal management system of the vehicle. In a second research topic, the electrification of tractor engines and agricultural machines is studied. Specifically, a comprehensive model of the power flows of the tractor is developed and the analysis of the emission reduction potential is evaluated by analyzing the electrification potential of the implements and of the auxiliary systems within a tractor powertrain.

OPTIMIZATION OF HYBRID ENERGY SYSTEMS WITH STORAGE -Optimization techniques are studied for the optimal design and management of hybrid networks powered by renewable sources and micro CHP systems. The optimal sizing and management of the power generation devices is fundamental to increase the penetration of renewable resources in the electric system. The availability of such resources is hardly predictable and other programmable resources should be able to supply the required power; storage solutions, like batteries and pumped hydro, also play a crucial role in fully exploiting renewable resources. Advanced optimization techniques are studied and developed together with models of different power generation devices. Specifically, Mixed Integer Linear Programming techniques and codes are used to identify the optimal management of power generation systems and to minimize cost function, like harmful emissions and the cost of production of energy. I also participated in the international research group of the International Energy Agency (IEA) in the context of Annex 54 "Integration of Micro-Generation Energy and Related Technologies in Buildings". In particular, I developed a model for determining the optimal size of the components of a hybrid generation system consisting of micro CHP plants and renewable generation.

Engine test bench (alternative fuels)



Lithium-ion cell electric and thermal test for electric vehicles



Modelling and optimization of hybrid energy systems and storage solution

MAIN RESEARCH GRANTS AS PI OR CO-I

- EFRE/FESR "Sistemi di riscaldamento sostenibili per la decarbonizzazione degli edifici", project SustainHeat (Principal Investigator for the workgroup of the Free University of Bolzano, 2023, EU fund regional develop. € 1'120'007,84; € 318'179 for unibz). The SustainHEAT project aims to contribute to the decarbonisation of buildings by intervening on heating systems. In the project, test procedures will be developed to characterise performance by evaluating the influence of predictive control logics. The impacts of sustainable heating systems will be assessed in terms of energy efficiency, flexibility for district heating and electricity grids, and environmental impact. As a further objective, the project aims to update the training paths for planners and installers by providing a dimensioning tool for sustainable heating systems and using workshops for knowledge transfer. The laboratory training will include simple monitoring systems that they can replicate in their daily work.
- Province call for research 2023, Autonomous Province of Bolzano, project ReNoN: Total energy integration of Renewable-based Networks of Networks towards a decarbonized infrastructure (Principal Investigator for the workgroup of the Free University of Bolzano; grant for unibz € 147'500) The goal of the project is to produce a tool for energy policy makers and energy managers based upon numerical optimization techniques, with a novel two-level architecture. The first-level will

be in charge of skimming the available local distributed resources that can provide a service given the specific environmental, technical and economic boundary conditions; this part of the algorithm will also identify the most critical performance parameters (KPIs) and optimization goals of the ReNoN, given the technical, economic and environmental boundary conditions. The second level optimization, computes the optimal management solution of the ReNoN (e.g., minimization of emissions, keeping system efficiency above a threshold, ensuring continuity of service according to a certain order of merit, stability of the grid, overall energy cost minimization, etc.) by considering the specific digital-twin models of the technologies involved. This lower-level algorithm can be also updated on-line with data coming from energy flow sensors, actual environmental conditions, resources availability to manage future interconnected smart-cities.

- Province call for research 2014, Autonomous Province of Bolzano, project AI-ALPEN: Supply of drinking water in alpine regions: piping loss reduction and energy optimization for long-term sustainability (Principal Investigator for the workgroup of the Free University of Bolzano; grant for Bolzano € 148'703) This project is made in collaboration with the Department of Hydraulics of the University of Trento. The purpose of the project is to define appropriate methodologies for the characterization of the water network losses and ensure the optimum utilization of the power production potential in water supply systems. A specific test bench has been used together with numerical CFD simulation tools for the description of the performance of hydraulic turbines (or Pump as turbines) that can be inserted into the water networks for energy recovery purposes.
- Project "Design of more-electric tractors for a more sustainable agriculture" GREEN-SEED, founded by the Italian Ministry of Research PRIN (Progetto di Ricerca di Interesse Nazionale, grant for Bolzano € 102'000): PI of the work unit of unibz for the national PRIN project. This project aims to create the background, currently missing, to face the design of a complete more electric tractor system, identifying, among the others, the best electrification structure topology to be adopted, the load requirement for different operations and the components currently used that need to be redesigned. These further steps could be implemented in a larger project with the objective to design and build a real scale prototype of more-electric tractor involving more partners also in the frame of EU project, since the topic is within the priorities of the European Agency for Horizon 2020 about sustainable growth, in the Flagship Initiative "Resource efficient Europe".
- Project "Thermal management of the accumulator batteries in electric and hybrid cars: optimization strategies for performance enhancing and for a sustainable mobility" (2017, EU fund regional develop. 874.038 €); In collaboration with Roechling Automotive AG. The purpose of this project is to study and optimize the thermal and energy flows of the car system with the primary objective of reducing the environmental impact, increasing the performance of accumulators. New innovative solutions for the battery pack cooling system of the electric vehicles, as well as for the powertrain thermal management will be proposed; in parallel, a numerical analysis will be carried out, using simulation software, in order to evaluate the possible optimization strategies in the management and control of the flows of refrigerant liquids within the battery pack.
- Project "Turbine Idrocinetiche, ottimizzazione per una produzione sostenibile" (2017, EU fund regional develop. 884'600 €); in collaboration with the local companies Troyer and AC-TEC. The project has the aim to develop, together with companies working on hydro turbines production, research activities for improvement of conventional and original hydro power turbines (mini-hydro). The research activities will include both Computational Fluid Dynamics studies and analyses on physical models of innovative solutions for mini hydro. The research results that will be obtained during the project, will not be solely submitted for publishing on scientific journals, but also "engineered" and applied to partner manufacturing machines. Therefore, this should enable to improve the competitiveness of the products of the industrial partners and to acquire new market shares.
- Several internal projects of the Free University of Bozen/Bolzano on cogeneration systems and smart energy systems: "Design and study of the performance of a microcogeneration system using

internal combustion engine fuelled by intermediate fuels from biomasses"; "Indirect energy efficiency and torque assessment of internal combustion engines based on exhaust gas temperature and O2 content" and "Direct evaluation of the performance of internal combustion engines with the measurement of the indicated thermodynamic cycle"; "Cogeneration system fed by solid fuels' synthesis producer gas" and "Experimental measurement system of the heat recovered by micro cogeneration systems"; "Study of the combustion and of the engine management strategy of a dual fuel internal combustion engine fed with alternative fuels".

OTHER GRANTS AS PARTICIPANT

• "Thermo Fluid Dynamics, infrastructures for applied research to business and industry in South Tyrol" (2016, EU fund for regional develop. 849.600 €). The project involves the construction of a thermo-fluid dynamics laboratory in which test lines will be installed to test compressible fluids, incompressible fluids and combustion systems to be applied to the study of fluid machines. The laboratories are being set up in the NOI technology park. They will be provided with the instrumentation for the advanced study of hydraulic machines (pumps and turbines) and compressible fluid machines, as well as cogeneration. In addition to traditional methodologies, optical measurement techniques will be applied to study the fluid dynamics of fluid machines, thermo-fluid dynamics, sprays and combustion (PIV, LDV, PDPA).

EXTERNAL COMPANIES' COMMISSIONED RESEARCH

- Research on the role of coal in the context of the Italian energy system: regulation and technologies for energy production and for pollutants' removal (Ottanatuno Group);
- Study of the SCR systems for the abatement of NOx emissions in the automotive sector (Röchling Automotive);
- Fluid dynamic simulation of a refill circuit of an AdBlue tank of a Selective Catalytic Reducion (SCR) system for the abatement of NOX emissions from the combustion in automotive diesel engines (Röchling Automotive);
- Fluid dynamic simulation of a Kaplan hydraulic machine (AC-TEC Caldaro);
- Fluid dynamic analysis of kitchen hoods (Revolt srl);
- Consultancy in the design of two-phase scroll expanders for energy recovery (Tifeo srl).

SUPERVISION

I have been supervising ten PhD students at the Free University of Bozen/Bolzano on topics related to power generation with alternative green fuels, small-scale hydropower for energy recovery, optimization of energy systems, novel powertrains for clean mobility.

I am currently supervising three research assistant positions and an Assistant Professor. I also supervised several final thesis works at Bachelor and Master level.

PATENTS

I am co-inventor of three patents on systems for solar tracking used in concentration solar power applications (W02014184815, ITAN20130093, ITAN20130092A1).

INTERNATIONAL JOURNAL PUBLICATIONS

I'm author of 156 scientific works: 91 articles in international journals, 56 international conferences, 7 in national conferences, 2 technical reports.

Scopus database: Number of records: 121; Number of citations: 2239; h-index: 28.

List of the International Journal publications:

- Bartolini C M, Caresana F, Comodi G, Pelagalli L, <u>Renzi M</u>, Vagni S. Application of artificial neural networks to micro gas turbines. *Energy Conversion and Management*. 2011:52;3552-3558. DOI: 10.1016/j.enconman.2010.08.003. Impact Factor: 7.182; Cite Score: 6.04.
- Caresana F, Comodi G, Pelagalli L, <u>Renzi M</u>, Vagni S. Use of a test-bed to study the performance of micro gas turbines for cogeneration applications. *Applied thermal engineering*. 2011:31;781-788. DOI: 10.1016/j.applthermaleng.2011.07.016. Impact Factor: 3.356; Cite Score: 3.78.
- Comodi G, Cioccolanti L, <u>Renzi M</u>, Pelagalli L, Vagni S, Caresana F. A survey of cogeneration in the Italian pulp and paper sector. *Applied thermal engineering*. 2013:54(1); 336-344. DOI: DOI: 10.1016/j.applthermaleng.2013.01.038. Impact Factor: 3.356; Cite Score: 3.78.
- *Renzi M*, Brandoni C. **Study and application of a regenerative Stirling cogeneration device based on biomass combustion**. *Applied thermal engineering*, Vol. 67(1–2), pp. 341-351, 2014. DOI: 10.1016/j.applthermaleng.2014.03.045. Impact Factor: 3.356; Cite Score: 3.78.
- *Energy Procedia*. 2014:61;220-224. DOI: 10.1016/j.egypro.2014.11.1075. Cite Score: 1.16.
- Comodi G, Cioccolanti L, <u>Renzi M</u>. Modelling household sector at municipal scale: micro-chp, renewables and energy efficiency measures. *Energy*. 2014:68(15);92-103. DOI: 10.1016/j.energy.2014.02.055. Impact Factor: 5.589; Cite Score: 6.04.
- Caresana F, Pelagalli L, Comodi G, <u>Renzi M.</u> Microturbogas cogeneration systems for distributed generation: effects of ambient temperature on global performance and components' behaviour. *Applied energy*. 2014:124(1);17-27. DOI: 10.1016/j.apenergy.2014.02.075. Impact Factor: 7.182; Cite Score: 7.78.
- Brandoni C, <u>Renzi M</u>, Caresana F, Polonara F. Simulation of hybrid renewable microgeneration systems for variable electricity prices. *Applied thermal engineering*. 2014:71(2);667–676. DOI: 10.1016/j.applthermaleng.2013.10.044. Impact Factor: 3.356; Cite Score: 3.78.
- *9.* <u>Renzi M</u>, Caresana F, Pelagalli L, Comodi G. Enhancing micro gas turbine performance in hot climates through fogging technique: experimental analysis. *Applied energy*. 2014:135(15);165-173. DOI: 10.1016/j.apenergy.2014.08.084. Impact Factor: 7.182; Cite Score: 7.78.
- *10.* Brandoni C, <u>Renzi M</u>. **Optimal sizing of hybrid solar micro-CHP systems for the household sector**. *Applied thermal engineering*. 2015:75(22);896–907. DOI: 10.1016/j.applthermaleng.2014.10.023. Impact Factor: 3.356; Cite Score: 3.78.
- *Renzi M*, Bartolini CM, Santolini M, Arteconi A. **Efficiency assessment for a small heliostat solar concentration plant**. *International Journal of Energy Research*. 2014:39(2);265-278. DOI: 10.1002/er.3238. Impact Factor: 2.598; Cite Score: 2.44.
- *12.* Prando D, *Renzi M*, Gasparella A, Baratieri M. **Monitoring of the energy performance of a district heating CHP plant based on biomass boiler and ORC generator**. *Applied thermal engineering*. 2015:79;98-107. DOI: 10.1016/j.applthermaleng.2014.12.063 Impact Factor: 3.356; Cite Score: 3.78.
- Cioccolanti L, Savoretti A, <u>Renzi M</u>, Caresana F, Comodi G, Design and test of a single effect thermal desalination plant using waste heat from m-CHP units. *Applied thermal engineering*. 2015:82;18-29. DOI: 10.1016/j.applthermaleng.2015.02.047. Impact Factor: 3.356; Cite Score: 3.78.
- Comodi G, <u>Renzi M</u>, Caresana F, Pelagalli L. Enhancing micro gas turbine performance in hot climates through inlet air cooling vapour compression technique. *Applied energy*. 2015:147;40-48. DOI: 10.1016/j.apenergy.2015.02.076. Impact Factor: 7.182; Cite Score: 7.78.
- *15.* Comodi G, <u>Renzi M</u>, Caresana F, Pelagalli L. Limiting the effect of ambient temperature on micro gas turbine performance through inlet air cooling techniques: an experimental comparison

between fogging and direct expansion. *Energy Procedia*. 2015:75;1172-1177. DOI: 10.1016/j.egypro.2015.07.561. Cite Score: 1.16.

- 16. Egidi L, <u>Renzi M</u>, Comodi G. Effect of the secondary optics and the receiver design on the performance of a triple junction solar cell. *Energy Procedia*. 2015:75;355-360. DOI: 10.1016/j.egypro.2015.07.387. Cite Score: 1.16.
- Comodi G, <u>Renzi M</u>, Cioccolanti L, Caresana F, Pelagalli L. Hybrid system with micro gas turbine and PV (photovoltaic) plant: guidelines for sizing and management strategies. *Energy*. 2015:89;226-235. DOI: 10.1016/j.energy.2015.07.072. Impact Factor: 5.589; Cite Score: 6.04.
- <u>Renzi M</u>, Egidi L, Comodi G. Performance analysis of two 3.5kWp CPV systems under real operating conditions. *Applied energy*. 2015:160;687-696. DOI: 10.1016/j.apenergy.2015.08.096. Impact Factor: 7.182; Cite Score: 7.78.
- *19.* Bietresato M, <u>Renzi M</u>, Mischiatti S, Mazzetto F. **Engine test stand layout and post processing tools for the detection of many engine performance parameters**. *ARPN Journal of Engineering and Applied Sciences*. 2016:11(2);1309-1316. Cite Score: 0.37.
- 20. Cioccolanti L, Savoretti A, <u>Renzi M</u>, Caresana F, Comodi G. Comparison of different operation modes of a single effect thermal desalination plant using waste heat from m-CHP units. Applied thermal engineering. 2016:100;646-657. DOI: 10.1016/j.applthermaleng.2016.02.082. Impact Factor: 3.356; Cite Score: 3.78.
- *21.* Comodi G, <u>*Renzi M*</u>, Rossi M. **Energy efficiency improvement in oil refineries through flare gas recovery technique to meet the emission trading targets**. *Energy*. 2016:109;1-12. DOI: 10.1016/j.energy.2016.04.080. Impact Factor: 5.598; Cite Score: 6.04.
- *22.* <u>Renzi M</u>, Bietresato M, Mazzetto F. **An experimental evaluation of the performance of a SI internal combustion engine for agricultural purposes fuelled with different bioethanol blends**. *Energy*. 2016:115;1069-1080. DOI: 10.1016/j.energy.2016.09.050. Impact Factor: 4.520; Cite Score: 5.17.
- *23.* Rossi M, Righetti M, <u>*Renzi M*</u>. **Pump-as-turbine for energy recovery applications: the case Study of an aqueduct**. *Energy procedia*. 2016:101;1207-1214. DOI: 10.1016/j.egypro.2016.11.163. Cite Score: 1.16 (2016).
- *24.* Caligiuri C, <u>*Renzi M.*</u> Combustion modelling of a dual fuel diesel-producer gas compression ignition engine. *Energy procedia.* 2017:142;1395-1400 (2017).
- 25. <u>Renzi M</u>, Egidi L, Cioccolanti L, Comodi G. Performance Simulation of a Small-scale Heliostat CSP System: Case Studies in Italy. *Energy procedia*. 2017:105;367-372. DOI: 10.1016/j.egypro.2017.03.327. Cite Score: 1.16 (2017).
- *26. <u>Renzi M</u>*, Riolfi C, Baratieri M. **Influence of the Syngas Feed on the Combustion Process and Performance of a Micro Gas Turbine with Steam Injection**. *Energy procedia*. 2017:105;1665-1670. DOI: 10.1016/j.egypro.2017.03.543. Cite Score: 1.16 (2017).
- 27. <u>Renzi M</u>, Cioccolanti L, Barazza G, Egidi L, Comodi G. Design and experimental test of refractive secondary optics on the electrical performance of a 3-junction cell used in CPV systems. *Applied energy*. 2017:185;233-243. DOI: 10.1016/j.apenergy.2016.10.064. Impact Factor: 7.182; Cite Score: 7.78 (2017).
- 28. <u>Renzi M</u>, Patuzzi F, Baratieri M. Syngas feed of micro gas turbines with steam injection: effects on performance, combustion and pollutants formation. Applied Energy. 2017:206;697-707. DOI: 10.1016/j.apenergy.2017.08.214. Impact Factor: 7.182; Cite Score: 7.78 (2017).
- *29.* Carducci F, Giovannelli A, <u>Renzi M</u>, Comodi G, **Improving flexibility of industrial microgrids through thermal storage and HVAC management strategies**. *Energy Procedia*. Vol. 142, pp. 2728-2733. DOI: 10.1016/j.egypro.2017.12.217 (2017).
- 30. <u>Renzi M</u>, Cioccolanti L, Egidi L, Comodi G. Experimental investigation and numerical model validation of a 2.5 kWt concentrated solar thermal plant. Applied thermal engineering, 2018:133; 622-632, DOI: 10.1016/j.applthermaleng.2018.01.095 (2018).
- *31.* Cioccolanti L, <u>Renzi M</u>. **Coupling a small-scale concentrated solar power plant with a single effect thermal desalination system: Analysis of the performance.** Applied thermal engineering, 2018:143;1046-1056, DOI: 10.1016/j.applthermaleng.2018.08.033 (2018).
- *32.* Vakalis S, Caligiuri C, Moustaka, K., Malamis D, <u>*Renzi M*</u>, Baratieri M. **Modeling the emissions of a dual fuel engine coupled with a biomass gasifier—supplementing the Wiebe function.** Environmental Science and Pollution Research, 2018:25(36);35866-35873, DOI: 10.1007/s11356-018-1647-5 (2018).
- *33.* Rossi M, <u>*Renzi M*</u>. A general methodology for performance prediction of pumps-as-turbines using Artificial Neural Networks. Renewable Energy, 2018:128;265-274, DOI: 10.1016/j.renene.2018.05.060 (2018).

- *34.* Nicolosi FF, <u>*Renzi M.*</u> Effect of the Regenerator Efficiency on the Performance of a Micro Gas Turbine Fed with Alternative Fuels. Energy Procedia, 2018:148:687-694, DOI: 10.1016/j.egypro.2018.08.158 (2018).
- *35.* Alberizzi JC, <u>Renzi M</u>, Nigro A, Rossi M. **Study of a Pump-as-Turbine (PaT) speed control for a Water Distribution Network (WDN) in South-Tyrol subjected to high variable water flow rates.** Energy Procedia, 2018:148;226-233, DOI: 10.1016/j.egypro.2018.08.072 (2018).
- *36.* Rossi M, Comodi G, Piacente N, <u>*Renzi M*</u>. Effects of viscosity on the performance of Hydraulic Power Recovery **Turbines (HPRTs) by the means of Computational Fluid Dynamics (CFD) simulations.** Energy Procedia, 2018:148:170-177, DOI: 10.1016/j.egypro.2018.08.046 (2018).
- *37.* Caligiuri C, *Renzi M*, Bietresato M, Baratieri M. **Experimental investigation on the effects of bioethanol addition in diesel-biodiesel blends on emissions and performances of a micro-cogeneration system.** Energy Conversion and Management, 2019:185; 55-65, DOI: 10.1016/j.enconman.2019.01.097 (2019).
- *38.* Bietresato M, Caligiuri C, Bolla A, <u>Renzi M</u>, Mazzetto F. **Proposal of a predictive mixed experimental-numerical approach for assessing the performance of farm tractor engines fuelled with diesel-biodiesel-bioethanol blends.** Energies, Vol. 12 (12), Article number 2287, DOI: 10.3390/en12122287 (2019).
- *39.* <u>Renzi M</u>, Rudolf P, Štefan D, Nigro A, Rossi M. **Energy recovery in oil refineries through the installation of axial Pumps-as-Turbines (PaTs) in a wastewater sewer: A case study.** Energy Procedia, 2019:158:135-141, DOI: 10.1016/j.egypro.2019.01.058 (2019).
- 40. Rossi M, Nigro A, Pisaturo GR, <u>Renzi M</u>. Technical and economic analysis of Pumps-as-Turbines (PaTs) used in an Italian Water Distribution Network (WDN) for electrical energy production. Energy Procedia, 2019:158:117-122, DOI: 10.1016/j.egypro.2019.01.055 (2019).
- *41.* Caligiuri C, Bietresato M, <u>Renzi M</u>. The effect of using diesel-biodiesel-bioethanol blends on the fuel feed pump of a small-scale internal combustion engine. Energy Procedia, 2019:158:953-958, DOI: 10.1016/j.egypro.2019.01.235 (2019).
- *42.* Bietresato M, Caligiuri C, <u>Renzi M</u>, Mazzetto F. **Use of diesel-biodiesel-bioethanol blends in farm tractors: first results obtained with a mixed experimental-numerical approach.** Energy Procedia, 2019:158:965-971, DOI: 10.1016/j.egypro.2019.01.237 (2019).
- *43.* Rossi M, Nigro A, <u>*Renzi M*</u>. A predicting model of PaTs' performance in off-design operating conditions. Energy Procedia, 2019:158:123-128, DOI: 10.1016/j.egypro.2019.01.056 (2019).
- *44.* Rossi M, <u>Renzi M</u>. A generalized theoretical methodology to forecast flow coefficient, head coefficient and efficiency of Pumps-as-Turbines (PaTs). Energy Procedia, 2019:158:129-134, DOI: 10.1016/j.egypro.2019.01.057 (2019).
- 45. Rossi M, Nigro A, <u>Renzi M</u>. Experimental and numerical assessment of a methodology for performance prediction of Pumps-as-Turbines (PaTs) operating in off-design conditions. Applied Energy, article: APEN 13127 (2019).
- *46.* De Paepe W, <u>*Renzi M*</u>, Carrerro MM, Caligiuri C, Contino F. **Micro Gas Turbine Cycle Humidification for Increased Flexibility: Numerical and Experimental Validation of Different Steam Injection Models.** Journal of Engineering for Gas Turbines and Power, Paper No: GTP-18-1387; DOI:10.1115/1.4040859 (2019).
- 47. Moradi R, Cioccolanti L, Bocci E, Villarini M, <u>Renzi M</u>. Numerical Investigation on the Performance of a Regenerative Flow Turbine for Small-Scale Organic Rankine Cycle Systems. Journal of Engineering for Gas Turbines and Power, Vol. 141(9), Article number 091014, DOI: 10.1115/1.4044062 (2019).
- 48. <u>Renzi M</u>, Rudolf P, Štefan D, Nigro A, Rossi M. Installation of an axial Pump-as-Turbine (PaT) in a wastewater sewer of an oil refinery: A case study. Applied Energy, Vol. 250, pp. 665-676, DOI: 10.1016/j.apenergy.2019.05.052 (2019).
- *49.* Campana C, Cioccolanti L, *Renzi M*, Caresana F. **Experimental analysis of a small-scale scroll expander for low-temperature waste heat recovery in Organic Rankine Cycle.** Energy, Vol. 187, Article Number 115929, DOI: 10.1016/j.energy.2019.115929 (2019).
- *50.* Alberizzi JC, <u>*Renzi M*</u>, Righetti M, Pisaturo GR, Rossi M. **Speed and pressure controls of pumps-as-turbines installed in branch of water-distribution network subjected to highly variable flow rates.** Energies, Vol. 12, Issue 24, Article number 4738, DOI: 10.3390/en12244738 (2019)
- *51.* Alberizzi JC, Rossi M, *Renzi M*. **A MILP algorithm for the optimal sizing of an off-grid hybrid renewable energy system in South Tyrol.** Energy Reports Journal, Vol. 6 pp. 21-26, DOI: 10.1016/j.egyr.2019.08.012 (2020).
- *52.* Štefan D, Rossi M, Hudec M, Rudolf P, Nigro A, <u>*Renzi M*</u>. **Study of the internal flow field in a pump-asturbine (PaT): Numerical investigation, overall performance prediction model and velocity vector analysis.** Renewable Energy, Vol. 156 pp. 158-172, DOI: 10.1016/j.renene.2020.03.185 (2020).
- *53.* Bietresato M, Caligiuri C, Bolla A, <u>*Renzi M*</u>, Mazzetto F. **The Response Surface Methodology as a Tool to Evaluate the Effects of Using Diesel-Biodiesel-Bioethanol Blends as Farm Tractor Fuel.** Lecture Notes in Civil Engineering, Vol. 67, pp. 539-549. DOI: 10.1007/978-3-030-39299-4_60 (2020).

- *54.* Bietresato M, Bolla A, Caligiuri C, <u>*Renzi M*</u>, Mazzetto F. **Analysis of cryoscopic behaviour of dieselbiodiesel blends using industrial freezer.** Engineering for Rural Development, Vol. 19, pp. 1585-1593. DOI: 10.22616/ERDev2020.19.TF391 (2020).
- *55.* Rossi M, Comodi G, Piacente N, <u>*Renzi M*</u>. **Energy recovery in oil refineries by means of a Hydraulic Power Recovery Turbine (HPRT) handling viscous liquids.** Applied Energy, Vol. 270, article 115097, DOI: 10.1016/j.apenergy.2020.115097 (2020).
- *56.* Alberizzi JC, Frigola JM, Rossi M, <u>*Renzi M*</u>. **Optimal sizing of a Hybrid Renewable Energy System: Importance of data selection with highly variable renewable energy sources**. Energy Conversion and Management, Vol. 223, Article 113303, DOI: 10.1016/j.enconman.2020.113303 (2020).
- *57. <u>Renzi M</u>*, Nigro A, Rossi M. **A methodology to forecast the main non-dimensional performance parameters of pumps-as-turbines (PaTs) operating at Best Efficiency Point (BEP)**. Renewable Energies. Vol. 160, pp.16-25, DOI: 10.1016/j.renene.2020.05.165 (2020).
- *58.* Bietresato M, Selmo F, <u>Renzi M</u>, Mazzetto F. **Torque prediction model of a ci engine for agricultural purposes based on exhaust gas temperatures and cfd-fvm methodologies validated with experimental tests**. Applied Sciences (Switzerland), Vol. 11, Issue 92021, Article number 3892, DOI: 10.3390/app11093892 (2021).
- *59.* Scolaro E, Beligoj M, Perez Estevez MA, Alberti L, <u>*Renzi M*</u>, Mattetti M. **Electrification of Agricultural Machinery: A Review**. IEEE Access, Vol. 9, Pages 164520 – 164541, DOI: 10.1109/ACCESS.2021.3135037 (2021).
- 60. Spedaletti S, Rossi M, Comodi G, Salvi D, <u>Renzi M</u>. Energy recovery in gravity adduction pipelines of a water supply system (WSS) for urban areas using Pumps-as-Turbines (PaTs). Sustainable Energy Technologies and Assessments, Vol. 45, Article number 101040, DOI: 10.1016/j.seta.2021.101040 (2021).
- *61.* Caligiuri C, Baškovič UŽ, <u>*Renzi M*</u>, Seljak T, Oprešnik SR, Baratieri M, Katrašnik T. **Complementing** syngas with natural gas in spark ignition engines for power production: Effects on emissions and combustion. Energies, Vol. 14, Issue 12, Article number 3688, DOI: 10.3390/en14123688 (2021).
- *62.* Cioccolanti L, <u>*Renzi M*</u>, Comodi G, Rossi M. **District heating potential in the case of low-grade waste heat recovery from energy intensive industries**. Applied Thermal Engineering, Vol. 19, Article number 116851, DOI: 10.1016/j.applthermaleng.2021.116851 (2021).
- *63.* Bietresato M, Bolla A, Caligiuri C, *Renzi M*, Mazzetto F. **The kinematic viscosity of conventional and bio-based fuel blends as a key parameter to indirectly estimate the performance of compression-ignition engines for agricultural purposes**. Fuel, Vol. 298, Article number 120817, DOI: 10.1016/j.fuel.2021.120817 (2021).
- 64. Antona R, Vacondio R, Avesani D, Righetti M, <u>Renzi M</u>. **Towards a high order convergent ale-sph** scheme with efficient weno spatial reconstruction. Water (Switzerland), Vol. 13, Issue 17, Article number 2432, DOI: 10.3390/w13172432 (2021).
- 65. Caligiuri C, <u>Renzi M</u>, Antolini D, Patuzzi F, Baratieri M. Diesel fuel substitution using forestry biomass producer gas: Effects of dual fuel combustion on performance and emissions of a micro-CHP system. Journal of the Energy Institute, Vol. 98, pp. 334-45, DOI: 10.1016/j.joei.2021.07.010 (2021).
- *66.* Perez Estevez MA, Calligaro S, Bottesi O, Caligiuri C, <u>*Renzi M*</u>. An electro-thermal model and its electrical parameters estimation procedure in a lithium-ion battery cell. Energy, Vol. 2341, Article number 121296, DOI: 10.1016/j.energy.2021.121296 (2021).
- *67.* Caresana F, Bietresato M, <u>*Renzi M*</u>. **Injection and combustion analysis of pure rapeseed oil methyl ester (Rme) in a pump-line-nozzle fuel injection system**. Energies, Vol. 14, Issue 22, Article number 7535, DOI: 10.3390/en14227535 (2021).
- *68.* Nicolosi FF, Alberizzi JC, Caligiuri C, <u>*Renzi M*</u>. **Unit commitment optimization of a micro-grid with a MILP algorithm: Role of the emissions, bio-fuels and power generation technology**. Energy Reports, Vol. 7, pp. 8639 – 8651, DOI: 10.1016/j.egyr.2021.04.020 (2021).
- 69. Rossi M, Spedaletti S, Lorenzetti M, Salvi D, <u>Renzi M</u>, Comodi G, Caresana F, Pelagalli L. A methodology to estimate average flow rates in Water Supply Systems (WSSs) for energy recovery purposes through hydropower solutions. Renewable Energy, Vol. 180, pp. 1101 1113, DOI: 10.1016/j.renene.2021.09.005 (2021).
- 70. Caligiuri C, Stendardi L, <u>Renzi M.</u> The use of Sentinel-1 OCN products for preliminary deep offshore wind energy potential estimation: A case study on Ionian sea. Engineering Science and

Technology, an International Journal, Vol. 35, Article Number 101117, DOI: 10.1016/j.jestch.2022.101117 (2022).

- 71. Varani M, Perez Estevez MA, <u>Renzi M</u>, Alberti L, Mattetti M. Controlling idling: a ready-made solution for reducing exhaust emissions from agricultural tractors. Biosystems Engineering, Vol. 221, pp. 283 292, DOI: 10.1016/j.biosystemseng.2022.07.011 (2022).
- 72. Caligiuri C, Bietresato M, Algier A, Baratieri M, <u>Renzi M</u>. Experimental Investigation and RSM Modeling of the Effects of Injection Timing on the Performance and NO_x Emissions of a Micro-Cogeneration Unit Fueled with Biodiesel Blends. Energies, Vol. 15, Issue 10, Article number 3586, DOI: 10.3390/en15103586 (2022).
- 73. Mattetti M, Beltramin A, Perez Estevez MA, Varani M, <u>Renzi M</u>, Alberti L. Start and stop systems on agricultural tractors as solution for saving fuel and emissions. Biosystems Engineering, Vol. 216, pp. 108 120, DOI: 10.1016/j.biosystemseng.2022.02.006 (2022).
- 74. Beligoj M, Scolaro E, Alberti L, <u>Renzi M</u>, Mattetti M. Feasibility Evaluation of Hybrid Electric Agricultural Tractors Based on Life Cycle Cost Analysis. IEEE Access, Vol. 10, pp. 28853-28867, DOI: 10.1109/ACCESS.2022.3157635 (2022).
- 75. Telikani A, Rossi M, Khajehali N, <u>Renzi M</u>. Pumps-as-Turbines' (PaTs) performance prediction improvement using evolutionary artificial neural networks. Applied Energy, Vol. 330, Article number 120316, DOI: 10.1016/j.apenergy.2022.120316 (2023).
- 76. Moradi R, Cioccolanti L, Del Zotto L, <u>Renzi M</u>. Comparative sensitivity analysis of micro-scale gas turbine and supercritical CO2 systems with bottoming organic Rankine cycles fed by the biomass gasification for decentralized trigeneration. Energy, Vol. 2661, Article number 126491, DOI: 10.1016/j.energy.2022.126491 (2023).
- 77. Leitner S, Perez Estevez MA, <u>Renzi M</u>, Spinelli R, Mazzetto F, Vidoni R. Tower yarder powertrain performance simulation analysis: electrification study. European Journal of Forest Research. DOI: https://doi.org/10.1007/s10342-023-01553-0 (2023).
- 78. Perez Estevez MA, Conte FV, Tremonti C, <u>Renzi M</u>. Aging estimation of lithium ion cells under realworld conditions through mechanical stress measurements. Journal of Energy Storage. Vol. 641, Article number 107186, DOI: 10.1016/j.est.2023.107186 (2023).
- 79. Lingkang J, Rossi M, Monforti Ferrario A, Alberizzi JC, <u>Renzi M</u>. Comodi G. Integration of battery and hydrogen energy storage systems with small-scale hydropower plants in off-grid local energy communities. Energy Conversion and Management. Vol. 286, Article number 117019, DOI: 10.1016/j.enconman.2023.117019 (2023).
- *80.* Kostner MK, Zanfei A, Alberizzi JC, <u>*Renzi M*</u>, Righetti M. **Micro hydro power generation in water distribution networks through the optimal pumps-as-turbines sizing and control**. Applied Energy, Vol. 351, Article number 121802, DOI: 10.1016/j.apenergy.2023.121802 (2023).
- 81. Briola S, Barberis S, <u>Renzi M</u>, Gabbrielli R. Theoretical investigation of a novel high-temperature heat pump exploiting low-temperature waste heat and using two-phase machines with zero electric consumption. Applied Thermal Engineering, Vol. 235, Article number 121322, DOI: 10.1016/j.applthermaleng.2023.121322 (2023).
- 82. Leitner S, Spinelli R, Bont LG, Vidoni R, <u>Renzi M</u>, Schweier J. Technical, Safety and Environmental Challenges in the Electrification of Cable Yarding Equipment. Current Forestry Reports, Vol. 9, Issue 4, pp. 263-275, DOI: 10.1007/s40725-023-00185-2 (2023).
- 83. Caligiuri C, <u>Renzi M</u>, Antolini D, Patuzzi F, Baratieri M. Optimizing the use of forestry biomass producer gas in dual fuel engines: A novel emissions reduction strategy for a micro-CHP system. Energy Conversion and Management: X, Vol. 20, Article number 100498, DOI: 10.1016/j.ecmx.2023.100498 (2023).
- 84. Antona R, Vacondio R, Avesani D, Righetti M, <u>Renzi M</u>. A WENO SPH scheme with improved transport velocity and consistent divergence operator. Computational Particle Mechanics, DOI: 10.1007/s40571-023-00681-z (2024).
- *85.* Piri H, <u>*Renzi M*</u>, Bietresato M. **Technical Implications of the Use of Biofuels in Agricultural and Industrial Compression-Ignition Engines with a Special Focus on the Interactions with (Bio)lubricants.** Energies, Vol. 17 Issue 1, Article number 129, DOI: 10.3390/en17010129 (2024).
- *86.* Leitner S, Carabin G, Spinelli R, <u>Renzi M</u>, Vidoni R. **Skyline force estimation and limitation during** cable yarding: A novel technical solution for within the carriage. Measurement: Journal of the

International Measurement Confederation, Volume 235, Article number 114931, August 2024, DOI: 10.1016/j.measurement.2024.114931 (2024).

- 87. Akbari M, Piri H, <u>Renzi M</u>, Bietresato M. The Effects of Biodiesel on the Performance and Gas Emissions of Farm Tractors' Engines: A Systematic Review, Meta-Analysis, and Meta-Regression. Energies, Volume 17, Issue 17, Article number 4226, DOI: 10.3390/en17174226 (2024).
- 88. Piri H, <u>Renzi M</u>, Bietresato M. Enhancing Performance and Sustainability of Engine Lubricants and Biolubricants by Dispersing SiO2 Nanoparticles Coated with KH570-Silane Coupling Agent. Applied Sciences (Switzerland), Volume 14, Issue 17, Article number 7943, DOI: 10.3390/app14177943 (2024).
- 89. Fatehi M, <u>Renzi M</u>. Modelling and development of ammonia-air non-premixed low NO_x combustor in a micro gas turbine: A CFD analysis. International Journal of Hydrogen Energy, Volume 88, Pages 1 10, DOI: 10.1016/j.ijhydene.2024.09.071 (2024).
- *90.* Qureshi MZ, Caligiuri C, <u>Renzi M</u>, Baratieri M. **Study of peak Laminar Burning Velocity of several syngas compositions at different temperatures.** Journal of the Energy Institute, Volume 117, Article number 101816, DOI: 10.1016/j.joei.2024.101816 (2024).
- *91.* Perez Estevez MA, Melendez Frigola J, Armengol Llobet J,Alberti L, <u>*Renzi M.*</u> **Optimal design of a series hybrid powertrain for an agricultural tractor.** Energy Conversion and Management: X, Volume 24, Article number 100789, DOI: 10.1016/j.ecmx.2024.100789 (2024).

MAIN COLLABORATIONS – UNIVERSITIES AND RESEARCH CENTERS



MAIN COLLABORATIONS – COMPANIES

Alperia

Röchling Automotive

Alpitronic

IIT H2

AC-TEC

Troyer

Strategie srl

Automotive Excellence Southtyrol (AES)